

0728-00

6287384854WS

THE ASSISTANT COMMISSIONER OF PATENTS
Washington, D.C. 20231

DOCKET NUMBER: AUS9-2000-0273-US1

Date: 7/27/00

JCS13 U.S. PTO
09/627223
07/27/00

Sir:

Transmitted herewith for filing is the Patent Application of:

Inventor: Gerald F. McBrearty et al.

For: REDUCING DOWNLOADING TIME FOR WEB DOCUMENTS AT WORLD WIDE WEB RECEIVING DISPLAY STATIONS BY PRESELECTING SPECIFIED WEB DOCUMENTS TO BE DOWNLOADED IN A TEXT-ONLY MODE

Enclosed are:

- ☒ Patent Specification and Declaration
- ☒ 9 sheets of drawing(s).
- ☒ An assignment of the invention to International Business Machines Corporation (includes Recordation Form Cover Sheet).
- ☐ A certified copy of a application.
- ☒ Statement in Lieu of Information Disclosure Statement.

The filing fee has been calculated as shown below:

For	Number Filed	Number Extra	Rate	Fee
Basic Fee				\$ 690
Total Claims	21 - 20	1	x 18 =	\$ 18
Indep. Claims	3 - 3	0	x 78 =	\$ 0
MULTIPLE DEPENDENT CLAIM PRESENTED			x 260 =	\$ 0
TOTAL				\$ 708


☒ Please charge my Deposit Account No. 09-0447 in the amount of \$708.00. A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account 09-0447. A duplicate copy of this sheet is enclosed.

☒ Any additional filing fees required under 37 CFR §1.16.

☒ Any patent application processing fees under 37 CFR §1.17.

Respectfully submitted,



Volel Emile
Registration No. 39,969
Intellectual Property Law Dept.
IBM Corporation
11400 Burnet Road - 4054
Austin, Texas 78758
Telephone (512) 823-1005

REDUCING DOWNLOADING TIME FOR WEB DOCUMENTS AT WORLD
WIDE WEB RECEIVING DISPLAY STATIONS BY PRESELECTING
SPECIFIED WEB DOCUMENTS TO BE DOWNLOADED
IN A TEXT-ONLY MODE

5 Cross-Reference to Related Copending Patent Applications

The following patent applications, which are assigned to the assignee of the present invention, cover subject matter related to the subject matter of the present invention: Application Serial No. 08/974,411, C.
10 R. Nielsen et al., filed November 19, 1997; and
DYNAMICALLY OPTIMIZING THE DOWNLOADING OF WORLDWIDE WEB
HYPERTEXT DOCUMENTS AT RECEIVING DISPLAY STATIONS, G.
McBrearty et al. (Attorney Docket No. AUS9-2000-0272.US1) filed concurrently with the present application.

15 Technical Field

The present invention relates to computer managed communication networks such as the World Wide Web (Web) and, particularly, to reducing the overall downloading time of documents transmitted over the Web at interactive
20 computer controlled Web stations.

Background of Related Art

The last decade has been marked by a technological revolution driven by the convergence of the data processing industry with the consumer electronics
25 industry. The effect has, in turn, driven technologies which have been known and available but relatively quiescent over the years. A major one of these technologies is the Internet or Web related distribution of documents, media and files. The convergence of the
30 electronic entertainment and consumer industries with

data processing exponentially accelerated the demand for wide ranging communication distribution channels, and the Web or Internet, which had quietly existed for over a generation as a loose academic and government data distribution facility, reached "critical mass" and commenced a period of phenomenal expansion. With this expansion, businesses and consumers have direct access to a virtually infinite number of Web documents. In addition, Hypertext Markup Language (HTML), which had been the documentation language of the Internet or Web for years offered direct links between pages and other documentation on the Web and a variety of related data sources which were at first text and then images, and now include media, i.e. "hypermedia". This even further exploded the use of the Web. It was now possible for the Web browser or wanderer to literally spend hours going through document after document and accompanying media events in often less than productive excursions through the Web. These excursions often strained the users' time and resources.

A significant source of this drain is in the Web page, the basic document page of the Web. The handling and downloading of Web documents can be very time consuming. In the case of Web pages, we do not have the situation of a relatively small group of professional designers working out the human factors; rather, in the era of the Web, anyone and everyone can design a Web page. As a result, pages are frequently designed by developers without imaging or graphic skills or, worse yet, they may include media such as video or audio. The value of images and media to a particular user is often far outweighed by their long download time. In addition, there appears to be an increasing amount of advertising

on the Web wherein the seeker of information at times has to be subject to "commercials" often in time and resource taxing image formats.

Developers of Web access and browsing systems have been addressing these problems and offering to users options to reduce download times. Some current Web browser systems do permit the user to set his overall operation to download all received Web pages in either the full HTML document mode or in a text only mode.

However, the user must preselect the mode for the whole operation. Copending Application Serial No. 08/974,411, C. R. Nielsen et al., filed November 19, 1997, provides the interactive user with the option of preliminary deletion of user selected files, such as image or animation files, from downloaded received Web pages. Other presently available implementations for downloading Web documents do offer the user the option of operating in a normal mode where both text and images are downloaded, or in an overall text-only mode where all received Web documents are downloaded in a text-only mode. In addition the above-referenced, copending application, DYNAMICALLY OPTIMIZING THE DOWNLOADING OF WORLD WIDE WEB HYPERTEXT DOCUMENTS AT RECEIVING DISPLAY STATIONS, G. McBrearty et al. (Attorney Docket No. AUS9-2000-0272.US1) discloses optimizing downloading time by automatically switching the Web document downloading into a text-only mode when the downloading time exceeds a predetermined time.

Summary of the Present Invention

The present invention is a further implementation for reducing overall downloading time for Web documents without depriving the user of valuable Web document

resources. The user at a receiving Web station is enabled to preselect which received Web documents will be downloaded in a text-only mode. Means are provided at the receiving Web station for determining whether a received Web document has been preselected for downloading in a text-only mode and, in responsive to these determining means, there are means for downloading such received preselected Web documents in a text-only mode.

The user is enabled not only to designate specified documents to be downloaded in a text-only mode but the user may also preselect whole Web domains or specified Web sites within such domains from which received Web documents are to be downloaded in a text-only mode. The user's preselections of such Web documents, Web sites or whole Web domains are preferably stored at the user's Web station.

All of the user preselection, determination of whether a received Web document has been preselected and the resultant downloading in a text-only mode could be carried out through a Web browser at the receiving Web station. In addition, since Web browsers provide for bookmarking direct links to provide the user with quick and easy access to desired Web documents, the means for enabling the user to also select text-only documents could readily be associated with the bookmarking function.

Brief Description of the Drawings

The present invention will be better understood and its numerous objects and advantages will become more apparent to those skilled in the art by reference to the

following drawings, in conjunction with the accompanying specification, in which:

Fig. 1 is a block diagram of a data processing system including a central processing unit and network connections via a communications adapter which is capable of implementing a user interactive workstation on which the received data may be converted into displayed Web pages, and the pages monitored for preselection for a text-only mode;

Fig. 2 is a generalized diagrammatic view of a Web portion upon which the present invention may be implemented;

Fig. 3 is a diagrammatic view of a Web page displayed at a receiving display station in a Web browser window;

Fig. 4 is the diagrammatic view shown in Fig. 3 after the user has chosen to bookmark the Web page;

Fig. 5 is a diagrammatic view of a Web browser window including a Web page in the browser window giving the user the option of preselecting Web domains from which received documents are to be downloaded in a text-only mode;

Fig. 6 is the diagrammatic Web page view of Fig. 5 after the user has activated a "text-only" button to thereby display a dialog box prompting the user for domain selection;

Fig. 7 is an illustrative flowchart describing the setting up of the process of the present invention for preselecting Web documents and preselecting Web domains from which documents are to be downloaded in a text-only mode;

Fig. 8 is a flowchart of an illustrative run of the process setup in Fig. 7; and

Fig. 9 is a flowchart of a process according to the present invention for an interactive user dialog for the selection of Web domains from which received documents are to be downloaded in a text-only mode.

5 Detailed Description of the Preferred Embodiment

Referring to Fig. 1, a typical data processing terminal is shown which may function as Web display stations used for receiving Web pages, for Web browsing and for preselecting Web documents and domains from which
10 received documents are to be downloaded in a text-only mode.

A central processing unit (CPU) 10, such as one of the PC microprocessors or workstations, e.g. RISC System/6000^(TM) (RS/6000) series available from
15 International Business Machines Corporation (IBM), is provided and interconnected to various other components by system bus 12. An operating system 41 runs on CPU 10, provides control and is used to coordinate the function of the various components of Fig. 1. Operating system 41
20 may be one of the commercially available operating systems such as the AIX 6000^(TM) operating system available from IBM; Microsoft's Windows 98^(TM) or Windows NT^(TM), as well as UNIX and AIX operating systems. Application programs 40, controlled by the system, are moved into and
25 out of the main memory Random Access Memory (RAM) 14. These programs include the programs of the present invention for preselecting Web documents and domains from which received documents are to be downloaded in a text-only mode to be subsequently described in combination
30 with any conventional Web browser, such as the Netscape Navigator 3.0^(TM) or Microsoft's Internet Explorer^(TM). A Read Only Memory (ROM) 16 is connected to CPU 10 via bus

12 and includes the Basic Input/Output System (BIOS) that controls the basic computer functions. RAM 14, I/O adapter 18 and communications adapter 34 are also interconnected to system bus 12. I/O adapter 18 may be a
5 Small Computer System Interface (SCSI) adapter that communicates with the disk storage device 20.

Communications adapter 34 interconnects bus 12 with an outside network enabling the data processing system to communicate with other such systems over a Local Area

10 Network (LAN) or a Wide Area Network (WAN), which includes, of course, the Web or Internet. The latter two terms are meant to be generally interchangeable and are so used in the present description of the distribution network. I/O devices are also connected to system bus 12
15 via user interface adapter 22 and display adapter 36.

Keyboard 24 and mouse 26 are all interconnected to bus 12 through user interface adapter 22. It is through such input devices that the user may interactively relate to Web pages. Display adapter 36 includes a frame buffer
20 39, which is a storage device that holds a representation of each pixel on the display screen 38. Images may be stored in frame buffer 39 for display on monitor 38 through various components, such as a digital to analog converter (not shown) and the like. By using the
25 aforementioned I/O devices, a user is capable of inputting information to the system through the keyboard 24 or mouse 26 and receiving output information from the system via display 38.

Before going further into the details of specific
30 embodiments, it will be helpful to understand from a more general perspective the various elements and methods which may be related to the present invention. Since the major aspect of the present invention is directed to Web

pages transmitted over global networks, such as the Web or Internet, an understanding of networks and their operating principles would be helpful. We will not go into great detail in describing the networks to which the present invention is applicable. For details on Web nodes, objects and links, reference is made to the text, Mastering the Internet, G. H. Cady et al., published by Sybex Inc., Alameda, CA, 1996; or the text, Internet: The Complete Reference, Millennium Edition, Margaret Young et al., Osborne/McGraw-Hill, Berkeley, CA, 1999. Any data communication system which interconnects or links computer controlled systems with various sites defines a communications network. Of course, the Internet or Web is a global network of a heterogeneous mix of computer technologies and operating systems. Higher level objects are linked to the lower level objects in the hierarchy through a variety of network server computers.

Web documents are conventionally implemented in HTML language, which is described in detail in the text entitled Just Java, van der Linden, 1997, SunSoft Press, particularly Chapter 7, pp. 249-268, dealing with the handling of Web pages; and also in the above-referenced Mastering the Internet, particularly pp. 637-642, on HTML in the formation of Web pages.

In addition, aspects of this invention will involve Web browsers. A general and comprehensive description of browsers may be found in the above-mentioned Mastering the Internet text at pp. 291-313. More detailed browser descriptions may be found in the above-mentioned Internet: The Complete Reference, Millennium Edition text, Chapter 19, pp. 419-454, on the Netscape Navigator; Chapter 20, pp. 455-494, on the Microsoft Internet

Explorer; and Chapter 21, pp. 495-512, covering Lynx, Opera and other browsers.

A generalized diagram of a portion of the Web, which the computer controlled display terminal 57 used for Web page receiving during searching or browsing, is connected as shown in Fig. 2. Computer display terminal 57 may be implemented by the computer system setup in Fig. 1 and connection 58 (Fig. 2) is the network connection shown in Fig. 1. For purposes of the present embodiment, computer 57 serves as a Web display station and has received displayed Web page 56, which is one of a sequence of Web pages.

Reference may be made to the above-mentioned Mastering the Internet, pp. 136-147, for typical connections between local display stations to the Web via network servers, any of which may be used to implement the system on which this invention is used. The system embodiment of Fig. 2 has a host-dial connection. Such host-dial connections have been in use for over 30 years through network access servers 53 which are linked 61 to the Web 50. The servers 53 may be maintained by a service provider to the client's display terminal 57. The host's server 53 is accessed by the receiving or requesting terminal 57 through a normal dial-up telephone linkage 58 via modem 54, telephone line 55 and modem 52. The HTML file representative of the Web page 56 has been downloaded to display terminal 57 through Web access server 53 via the telephone line linkages from server 53, which may have accessed them from the Internet 50 via linkage 61. The Web browser program 59 operates within the display terminals 57 to control the communication with the Web access server 53 to thereby download and display the accessed Web pages 56 on terminal 57. The

Web pages or documents are accessed through the Web from illustrative Web Page Resources 60 and 62 which represent the hierarchy of domains within the Web from which the Web documents may be transmitted. These will be
5 discussed hereinafter in greater detail.

With this setup, the present invention, which will be subsequently described in greater detail with respect to Figs. 3 through 6, may be carried out using Web browser 59. In Fig. 3, there is shown a typical
10 illustrative Web page 64 which has text 66 and images 65. This is maintained within a conventional Web browser window. When the "Bookmarks" term 67 in the window title bar is selected, then, as shown in Fig. 4, a menu of bookmarking options 68 drops down. If the user selects
15 "Full Page" item 69, then this Web page 64, which is being bookmarked for subsequent quick retrieval, will subsequently be retrieved and downloaded in the full HTML mode so that both text and image will be displayed. If the user selects "Text Only" item 70, then the Web page
20 will subsequently be retrieved and downloaded in a text-only, e.g. ASCII, mode. The two download modes were made separate menu items only for convenience in illustration. In an actual operation, just Text-Only would be a menu item with Full Page being the default loading condition
25 if Text-Only were not chosen.

Of course, the preliminary designation of Web documents to be downloaded in a text-only mode when subsequently received may extend well beyond just bookmarked documents. Figs. 5 and 6 show a simple
30 illustrative example on how a user may easily conduct a dialog to select domains at various Web hierarchical levels from which received documents are to be downloaded in a text-only mode. At any point in a Web browsing

session, a user may decide to make appropriate entries identifying Web domains from which received Web documents are to be downloaded in a text-only mode. The selection may not have anything to do with the Web page being

5 currently displayed. For example, with respect to the Web browser window displaying Web page 64 in Fig. 5, a "Text-Only" button 71 may be provided in the window title bar which when selected provides dialog box 72 which offers the user the option of downloading all

10 subsequently received Web documents in a text-only mode if "All Documents" item 73 is selected. If the user wishes to select a particular Web domain from which all subsequent documents will be downloaded in a text-only mode, then the user selects, as he does here, "Name

15 Domain", item 74, and he may enter, in field 75, the name of the domain, which, in the present example is "Joke-In". The present invention enables the user to select a domain at any Web hierarchical level from the top level domains, e.g. "com, edu, gov, org, mil or net", down to

20 individual domain names identifying particular computers or Web source stations and all levels including "Web Sites" therein between. By entering a domain name, the user sets up the browser system to have that domain name stored. Then, with respect to any subsequent incoming

25 Web document, the browser will compare the TCP/IP Domain Name sequence of the document to the stored domains and, if a domain at any Web level compares, the document will be downloaded in a text-only mode. For background information on Web domains and the TCP/IP Domain Name

30 System, reference may be made to the text, The Web Navigator, Paul Gilster, published by John Wiley & Sons, Inc., New York, 1997.

Fig. 7 is a flowchart showing the development of a process according to the present invention for predesignating Web document domains from which subsequently received Web documents are to be downloaded in a text-only mode and for doing the same with respect to bookmarked documents. There is set up a process at a receiving display station for enabling a user to preselect Web documents (based upon the document source domain) which, when subsequently received, will be received in a text-only mode, step 76. A process is set up at the receiving station for storing a listing of such preselected documents or document domains, step 77. A process is set up for comparing received Web documents to the stored list, step 78. A process is set up for downloading and displaying received Web documents in a text-only mode if there is a comparison to a stored document or domain designation, step 79. In addition, there is set up in association with the bookmarking process in the Web browser, a process to designate which of the bookmarked documents are to be downloaded and displayed in a text-only mode when subsequently recalled, step 80.

The running of the process set up in Fig. 7 will now be described with respect to the flowchart of Fig. 8. The flowchart represents some steps in a routine which will illustrate the operation of the invention in determining which subsequently received Web documents will be downloaded and displayed in a text-only mode. An initial determination is made as to whether a Web document has been requested, step 81. If No, the process is looped back to step 81 and a document request is awaited. If Yes, a document has been requested, then a further determination is made, step 82, as to whether the

document is an already bookmarked document. If Yes, then a further determination is made as to whether the document has been designated as text-only, step 83. If No, then via branch "A", the process proceeds to step 85 where the document is displayed in its full HTML text. If Yes, the bookmarked document has been designated as text-only, then, step 86, the document is downloaded and displayed in text-only mode.

Returning now to decision step 82, if No, the document is not bookmarked, then, step 84, a determination is made as to whether the document domain is on the stored list. If No, the process proceeds to step 85 where the document is displayed in its full HTML text. If Yes, then, step 86, the document is downloaded and displayed in text-only mode. After either step 86 or 85, a determination may be made, step 87, as to whether the session is at an end. If Yes, the session is exited. If No, then the process returns via branch "B" to step 81 where the next Web document request is awaited.

Fig. 9 is a flowchart of the process whereby the user may select domains from which received Web documents will be downloaded in a text-only mode. An initial determination is made, step 90, as to whether the user has selected the text-only button 71, Fig. 6. If No, the process is looped back to step 90 and a selection is awaited. If Yes, the text-only button is selected, step 90, then the text-only dialog box 72 is displayed, step 91. Next, a determination is made, step 92, as to whether the user has selected the "All Documents" button 73. If Yes, there is stored data which will cause all received documents to be downloaded and displayed in text-only mode, step 93. If the user does not select "All Documents" from dialog box 72 but wishes to name a

domain for text-only documents, the user is prompted to enter the preselected domain, step 94, and that domain is stored, step 95, as described above. After either step 93 or step 95 the process is branched back via branch "C" to step 90 where a user selection of the text only button is awaited.

One of the preferred implementations of the present invention is in application program 40, i.e. a browser program made up of programming steps or instructions resident in RAM 14, Fig. 1, of a Web receiving station during various Web operations. Until required by the computer system, the program instructions may be stored in another readable medium, e.g. in disk drive 20 or in a removable memory, such as an optical disk for use in a CD ROM computer input or in a floppy disk for use in a floppy disk drive computer input. Further, the program instructions may be stored in the memory of another computer prior to use in the system of the present invention and transmitted over a LAN or a WAN, such as the Web itself, when required by the user of the present invention. One skilled in the art should appreciate that the processes controlling the present invention are capable of being distributed in the form of computer readable media of a variety of forms.

Although certain preferred embodiments have been shown and described, it will be understood that many changes and modifications may be made therein without departing from the scope and intent of the appended claims.

ClaimsWhat is claimed is:

- 1 1. In a World Wide Web (Web) communication network with
2 user access via a plurality of data processor controlled
3 interactive receiving display stations for displaying
4 received hypertext documents of at least one display page
5 containing text and images, a system for reducing the
6 downloading time of predetermined hypertext documents
7 received from said Web comprising:
8 means at a receiving display station for downloading
9 said received hypertext Web documents,
10 means enabling a user at said receiving display
11 station to preselect received Web documents to be
12 downloaded in a text-only mode,
13 means for determining whether a received Web
14 document has been preselected for downloading in a text-
15 only mode, and
16 means responsive to said determining means for
17 downloading such received preselected Web documents in a
18 text-only mode.
- 1 2. The network system of claim 1 further including:
2 means for bookmarking selected received Web
3 documents to thereby store at said receiving display
4 station, direct links to the documents for future access,
5 said bookmarking means including said means enabling
6 the user to preselect said text-only mode to thereby
7 enable the user to preselect whether the bookmarked Web
8 document will be downloaded in a text-only mode when
9 received.

1 3. The network system of claim 1 wherein said user is
2 enabled to preselect domains from which all received Web
3 documents will be downloaded in a text-only mode.

1 4. The network system of claim 3 wherein said user is
2 enabled to preselect Web sites from which all received
3 Web documents will be downloaded in a text-only mode.

1 5. The network system of claim 3 further comprising:
2 Web browsing means at said receiving display station
3 including:
4 said means for enabling a user at said
5 receiving display station to preselect domains from
6 which all received Web documents will be downloaded
7 in a text-only mode, and
8 said means for determining whether a received
9 Web document has been preselected for downloading in
10 a text-only mode.

1 6. The network system of claim 2 further comprising:
2 Web browsing means at said receiving display station
3 including:
4 said means for bookmarking, and
5 said means for determining whether a received
6 Web document has been preselected for downloading in
7 a text-only mode.

1 7. The network system of claim 1 further including means
2 at said receiving display station for storing said user's
3 preselection of Web documents to be downloaded in a text-
4 only mode.

1 8. In a Web communication network with user access via a
2 plurality of data processor controlled interactive
3 receiving display stations for displaying received
4 hypertext documents of at least one display page
5 containing text and images, a method for reducing the
6 downloading time of predetermined hypertext documents
7 received from said Web comprising:

8 downloading said received hypertext Web documents at
9 a receiving display station,

10 enabling a user at said receiving display station to
11 preselect received Web documents to be downloaded in a
12 text-only mode,

13 determining whether a received Web document has been
14 preselected for downloading in a text-only mode, and

15 downloading such received preselected Web documents
16 in a text-only mode in response to said determination.

1 9. The method of claim 8 further including the step of:

2 bookmarking selected received Web documents to
3 thereby store at said receiving display station direct
4 links to the documents for future access,

5 said bookmarking step being carried out in
6 association with said step of enabling the user to
7 preselect said text-only mode to thereby enable the user
8 to preselect whether the bookmarked Web document will be
9 downloaded in a text-only mode when received.

1 10. The method of claim 8 wherein said user is enabled
2 to preselect domains from which all received Web
3 documents will be downloaded in a text-only mode.

1 11. The method of claim 10 wherein said user is enabled
2 to preselect Web sites from which all received Web
3 documents will be downloaded in a text-only mode.

1 12. The method of claim 10 further comprising:
2 Web browsing means at said receiving display station
3 including:
4 a Web browsing process at said receiving
5 display station including said steps of:
6 enabling a user at said receiving display
7 station to preselect domains from which, all
8 received Web documents will be downloaded in a
9 text-only mode, and
10 determining whether a received Web
11 document has been preselected for downloading
12 in a text-only mode.

1 13. The method of claim 9 further comprising:
2 a Web browsing process at said receiving display
3 station including said steps of:
4 bookmarking received Web documents, and
5 determining whether a received Web document has
6 been preselected for downloading in a text-only
7 mode.

1 14. The method of claim 8 further including the step of
2 storing said user preselections of Web documents to be
3 downloaded in a text-only mode at said receiving display
4 station.

1 15. A computer program having code recorded on a
2 computer readable medium for reducing the downloading
3 time of predetermined hypertext documents of at least one
4 display page containing text and images received at a Web
5 display station comprising:

6 means at a receiving display station for downloading
7 said received hypertext Web documents,

8 means enabling a user at said receiving display
9 station to preselect received Web documents to be
10 downloaded in a text-only mode,

11 means for determining whether a received Web
12 document has been preselected for downloading in a text-
13 only mode, and

14 means responsive to said determining means for
15 downloading such received preselected Web documents in a
16 text-only mode.

1 16. The computer program of claim 15 further including:

2 means for bookmarking selected received Web
3 documents to thereby store at said receiving display
4 station direct links to the documents for future access,

5 said bookmarking means including said means enabling
6 the user to preselect said text-only mode to thereby
7 enable the user to preselect whether the bookmarked Web
8 document will be downloaded in a text-only mode when
9 received.

1 17. The computer program of claim 15 wherein said user
2 is enabled to preselect domains from which all received
3 Web documents will be downloaded in a text-only mode.

1 18. The computer program of claim 17 wherein said user
2 is enabled to preselect Web sites from which all received
3 Web documents will be downloaded in a text-only mode.

1 19. The computer program of claim 17 further comprising:
2 a Web browser program at said receiving display
3 station including:
4 said means enabling a user at said receiving
5 display station to preselect domains from which all
6 received Web documents will be downloaded in a text-
7 only mode, and
8 said means for determining whether a received
9 Web document has been preselected for downloading in
10 a text-only mode.

1 20. The computer program of claim 16 further comprising:
2 a Web browser program at said receiving display
3 station including:
4 said means for bookmarking, and
5 said means for determining whether a received
6 Web document has been preselected for downloading in
7 a text-only mode.

1 21. The computer program of claim 15 further including
2 means at said receiving display station for storing said
3 user preselections of Web documents to be downloaded in a
4 text-only mode.

REDUCING DOWNLOADING TIME FOR WEB DOCUMENTS AT WORLD
WIDE WEB RECEIVING DISPLAY STATIONS BY PRESELECTING
SPECIFIED WEB DOCUMENTS TO BE DOWNLOADED
IN A TEXT-ONLY MODE

5

Abstract

In order to reduce overall downloading time for Web documents without depriving the user of valuable Web document resources, the user at a receiving Web station is enabled to preselect which received Web documents will
10 be downloaded in a text-only mode. An implementation is provided at the receiving Web station for determining whether a received Web document has been preselected for downloading in a text-only mode and, in responsive to this determination, there are means for downloading such
15 received preselected Web documents in a text-only mode. The user is enabled not only to designate specified documents to be downloaded in a text-only mode but the user may also preselect whole Web domains or specified Web sites within such domains from which received Web
20 documents are to be downloaded in a text-only mode. The user's preselections of such Web documents, Web sites or whole Web domains are preferably stored at the user's Web station.

All of the user preselections, determination of
25 whether a received Web document has been preselected and the resultant downloading in a text-only mode could be carried out through a Web browser at the receiving Web station. In addition, since Web browsers provide for bookmarking direct links to provide the user with quick
30 and easy access to desired Web documents, the enabling function for the user to also select text-only documents could readily be associated with the bookmarking function.




FIG. 1




FIG. 2










FIG. 5


The possibility of ice on the moon was suggested in 1961. (1) Volatiles degassed from the primitive moon or deposited on the lunar surface by cometary and asteroidal impacts might migrate to and collect in permanently shadowed cold traps near the lunar poles where they could be stable over relection and/or.

FIG. 5 is a diagram of a web browser window (Netscape) displaying a diagram of the Earth's shadow (umbra and penumbra) and the Moon's position. The browser window has a title bar 'Netscape-Science On-Links S.Nazarette. et al.Science. 274(5292) 1996' and a menu bar with 'File Edit View Go Bookmarks Options Directory Window Help Text Only'. The address bar shows 'http://www.sciencemaag.org/science/scripts/display/'. The main content area shows a diagram of the Earth's shadow (umbra and penumbra) and the Moon's position. The diagram is labeled with 'umbra', 'penumbra', 'moon', 'earth', and 'sun'. A reference numeral '64' points to the diagram. A reference numeral '71' points to the browser window frame.









**DECLARATION AND POWER OF ATTORNEY FOR
PATENT APPLICATION**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

REDUCING DOWNLOADING TIME FOR WEB DOCUMENTS AT WORLD WIDE WEB RECEIVING DISPLAY STATIONS BY PRESELECTING SPECIFIED WEB DOCUMENTS TO BE DOWNLOADED IN A TEXT-ONLY MODE

the specification of which (check one)

X is attached hereto.

— was filed on _____
as Application Serial No. _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

Priority Claimed

____ Yes ____ No
(Number) (Country) (Day/Month/Year)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal

DOCKET NUMBER: AUS9-2000-0273-US1

Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial #)	(Filing Date)	(Status)
------------------------	---------------	----------


I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John W. Henderson, Jr., Reg. No. 26,907; Thomas E. Tyson, Reg. No. 28,543; Robert M. Carwell, Reg. No. 28,499; Jeffrey S. LaBaw, Reg. No. 31,633; Douglas H. Lefevre, Reg. No. 26,193; Casimer K. Salys, Reg. No. 28,900; David A. Mims, Reg. No. 32,708; Mark E. McBurney, Reg. No. 33,114; Volel Emile, Reg. No. 39,969; James H. Barksdale, Jr. Reg. No. 24,091; Anthony V. England, Reg. No. 35,129; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; John E. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753; Leslie A. Van Leeuwen, Reg. No. 42,196; Marilyn S. Dawkins, Reg. No. 31,140; and J. B. Kraft, Reg. No. 19,226.

Send correspondence to: Volel Emile, International Business Machines Corporation, Intellectual Property Law Department, Internal Zip 4054, 11400 Burnet Road, Austin, Texas 78758 and direct all telephone calls to Volel Emile (512) 823-1005.

FULL NAME OF SOLE OR FIRST INVENTOR: Gerald Francis McBrearty

INVENTORS SIGNATURE:  DATE: 7-18-2000

RESIDENCE: 10709 Bayridge Cove
Austin, Texas 78759

CITIZENSHIP: United States

POST OFFICE ADDRESS: 10709 Bayridge Cove
Austin, Texas 78759

DOCKET NUMBER: AUS9-2000-0273-US1

FULL NAME OF SECOND INVENTOR: Shawn Patrick Mullen


INVENTORS SIGNATURE:  DATE: 7/26/00

RESIDENCE: 39 Country Oaks
Buda, Texas 78610

CITIZENSHIP: United States

POST OFFICE ADDRESS: 39 Country Oaks
Buda, Texas 78610

FULL NAME OF THIRD INVENTOR: Johnny Meng-Han Shieh

INVENTORS SIGNATURE:  DATE: 7/18/2000

RESIDENCE: 5908 Upvalley Run
Austin, Texas 78731

CITIZENSHIP: United States

POST OFFICE ADDRESS: 5908 Upvalley Run
Austin, Texas 78731